

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Product name : GX COOL SAW SW  
UFI : 5DAY-980W-700T-8E37  
Product code : C29816  
Type of product : Water miscible metalworking fluid  
Product group : Trade product

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Main use category : Industrial use  
Use of the substance/mixture : Use only as recommended on the product application sheet.

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet****Supplier**

KYOCERA UNIMERCO Tooling A/S  
Drejervej 2  
DK- 7451 Sunds  
Denmark  
T +45 97 14 14 11  
[www.kyocera-unimerco.dk](http://www.kyocera-unimerco.dk)

**Manufacturer**

Cimcool Industrial Products B.V. B.V.  
Schiedamsedijk 20  
NL- 3134 KK Vlaardingen  
The Netherlands  
T + 31 (0)10 4600660  
[SDS@DuBoisChemicals.com](mailto:SDS@DuBoisChemicals.com) - [www.cimcool.com](http://www.cimcool.com)  
E-mail address of competent person responsible for the SDS :  
[SDS@DuBoisChemicals.com](mailto:SDS@DuBoisChemicals.com)

**1.4. Emergency telephone number**

Emergency number : + 32 (0)14 58 45 45 (BIG, Belgium)  
Operating hours 24 hours / 24 hours, 7 days a week

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	NATIONAL EMERGENCY TELEPHONE NUMBER	London	0870 243 2241 +44 (0)20 7771 5310	

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Not classified

**Adverse physicochemical, human health and environmental effects**

Not applicable.

**2.2. Label elements****Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

EUH-statements : EUH070 - Toxic by eye contact.  
EUH208 - Contains Pyridine-2-thiol 1-oxide, sodium salt. May produce an allergic reaction.

# GX COOL SAW SW

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.3. Other hazards

Other hazards which do not result in classification : Spill area may be slippery. Do not allow material to contaminate ground water system.

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy naphthenic; < 3% DMSO substance with a Community workplace exposure limit (Note L)	CAS-No.: 64742-52-5 EC-No.: 265-155-0 EC Index-No.: 649-465-00-7 REACH-no: 01-2119467170-45	20 – 40	Not classified
Alcohols, C16-18 and C18 unsaturated, ethoxylated > 1 < 2.5 EO	CAS-No.: 68920-66-1 EC-No.: 500-236-9 REACH-no: 01-2119489407-26	1 – 5	Skin Irrit. 2, H315 Aquatic Chronic 2, H411
Pyridine-2-thiol 1-oxide, sodium salt	CAS-No.: 3811-73-2 EC-No.: 223-296-5 EC Index-No.: 613-344-00-7 REACH-no: 01-2119493385-28	0.1 – 0.5	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 (ATE=0.5 mg/l/4h) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT RE 1, H372 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 2, H411 EUH070

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Seek medical attention if ill effect develops.

First-aid measures after inhalation : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

# GX COOL SAW SW

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Drink promptly large quantities of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal use.
Symptoms/effects after skin contact	: May cause slight irritation to the skin.
Symptoms/effects after eye contact	: May cause slight irritation.
Symptoms/effects after ingestion	: Ingestion may cause nausea, vomiting and diarrhea.
Chronic symptoms	: Toxic by eye contact. May produce an allergic reaction.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Any fire extinguishing media may be used on nearby fires (water, powder, foam).
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: The product is not flammable.
Hazardous decomposition products in case of fire	: Carbon dioxide. Carbon monoxide. nitrogen oxides (NOx). Sulphur oxides. Phosphorus oxides.

### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Spill area may be slippery.
------------------	-------------------------------

#### 6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
----------------------	---

#### 6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
----------------------	--

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Sweep or shovel spills into appropriate container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation.
-------------------------	--

### 6.4. Reference to other sections

See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. Concerning disposal elimination after cleaning, see section 13.

# GX COOL SAW SW

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed	: Handle in accordance with good industrial hygiene and safety practice.
Precautions for safe handling	: Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep at temperatures between 5°C and 35°C in original container.
Incompatible products	: Strong bases. Strong acids.

#### 7.3. Specific end use(s)

Use only as recommended on the product application sheet.

More information can be found on:

[www.hse.gov.uk/metalworking](http://www.hse.gov.uk/metalworking),

[www.ukla.org.uk](http://www.ukla.org.uk),

[www.vsi-schmierstoffe.de](http://www.vsi-schmierstoffe.de).

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

Distillates (petroleum), hydrotreated heavy naphthenic; < 3% DMSO (64742-52-5)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	5 mg/m³ Mineral oil (Mist formation; ACGIH, 8 Hours)

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

No additional information available

##### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

###### Appropriate engineering controls:

For most applications, normal shop ventilation is adequate. However, when high mist levels are generated or where machines are close together, or where ventilation is inadequate, use of splash guards or mist collectors is recommended. Mist levels should comply with local regulations.

##### 8.2.2. Personal protection equipment

###### Personal protective equipment:

Avoid all unnecessary exposure.

###### 8.2.2.1. Eye and face protection

###### Eye protection:

Use splash goggles when eye contact due to splashing is possible

# GX COOL SAW SW

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eye protection			
Type	Field of application	Characteristics	Standard
Safety glasses	Droplet, Mist formation		EN 166

### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing. Wash contaminated clothes

#### Hand protection:

In case of repeated or prolonged contact wear gloves. Consider the particular working conditions under which the gloves are being used.

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves, Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.11		EN ISO 374

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Do not discharge into drains or the environment.

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow.
Odour	: mild.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: < 0 °C (estimated value)
Boiling point	: ≥ 100 °C (estimated value)
Flammability	: Not flammable
Explosive properties	: Not applicable.
Oxidising properties	: Not applicable.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 100 °C Because of the presence of water, a flashpoint cannot be measured.
Auto-ignition temperature	: Not applicable (Contains : Water)
Decomposition temperature	: Not applicable
pH	: 10.3 [DIN 51369 (2013); 20°C]
pH solution	: 9.1 , 5%, operating, @20°C
Viscosity, kinematic	: 295 mm²/s [DIN 51562/1 (1999); 20°C]
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water (Log Pow)	: Not applicable
Vapour pressure	: ≤ 2.33 kPa (Literature data; water, 20°C)

# GX COOL SAW SW

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vapour pressure at 50°C	: Not available
Density	: 1010 kg/m <sup>3</sup> [DIN 51757/7 (2011); 20°C]
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable (Mixture)
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

Additional information : The above data are typical values and do not constitute a specification.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None reasonably foreseeable.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None reasonably foreseeable.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

Incompatible with strong acids and oxidizing agents.

### 10.6. Hazardous decomposition products

None under normal use. See Heading 5.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Additional information	: Based on available data, the classification criteria are not met

Pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	
LD50 oral rat	1208 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral))
LD50 dermal rabbit	720 mg/kg
LC50 Inhalation - Rat	1.08 mg/l air Animal: rat, Guideline: EPA OPP 81-3 (Acute inhalation toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation))
LC50 Inhalation - Rat (Dust/Mist)	1.08 mg/l/4h
ATE CLP (oral)	500 mg/kg bodyweight
ATE CLP (dermal)	300 mg/kg bodyweight
ATE CLP (gases)	700 ppmv/4h

# GX COOL SAW SW

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	
ATE CLP (vapours)	3 mg/l/4h
ATE CLP (dust,mist)	0.5 mg/l/4h
Alcohols, C16-18 and C18 unsaturated, ethoxylated > 1 < 2.5 EO (68920-66-1)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 3000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
Distillates (petroleum), hydrotreated heavy naphthenic; < 3% DMSO (64742-52-5)	
LD50 oral rat	> 5000 mg/kg
LD50 oral	15000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LD50 dermal	5000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	5.53 mg/l Source: ECHA
ATE CLP (dust,mist)	5.53 mg/l/4h
Skin corrosion/irritation	: Not classified pH: 10.3 [DIN 51369 (2013); 20°C]
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified pH: 10.3 [DIN 51369 (2013); 20°C]
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	
LOAEL (animal/male, F0/P)	2.8 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
LOAEL (animal/female, F0/P)	1.4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
LOAEL (animal/male, F1)	2.8 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
LOAEL (animal/female, F1)	1.4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
NOAEL (animal/male, F0/P)	1.4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
NOAEL (animal/female, F0/P)	0.7 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
NOAEL (animal/male, F1)	1.4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)

# GX COOL SAW SW

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	
NOAEL (animal/female, F1)	0.7 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)

STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met

Pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	
LOAEL (oral, rat, 90 days)	1.5 mg/kg bodyweight Animal: rat, Guideline: other:
NOAEL (oral, rat, 90 days)	0.5 mg/kg bodyweight Animal: rat, Guideline: other:
STOT-repeated exposure	Causes damage to organs (nervous system) through prolonged or repeated exposure.

Alcohols, C16-18 and C18 unsaturated, ethoxylated > 1 < 2.5 EO (68920-66-1)	
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Distillates (petroleum), hydrotreated heavy naphthenic; < 3% DMSO (64742-52-5)	
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)

Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met

GX COOL SAW SW	
Viscosity, kinematic	295 mm²/s [DIN 51562/1 (1999); 20°C]

Pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	
Viscosity, kinematic	6687 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'

Distillates (petroleum), hydrotreated heavy naphthenic; < 3% DMSO (64742-52-5)	
Viscosity, kinematic	22 mm²/s

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met
---	--

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified



# GX COOL SAW SW

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	
LC50 - Fish [1]	7.3 µg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	0.6 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.22 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
ErC50 algae	0.46 mg/l Selenastrum capricornutum (green algae)
NOEC (chronic)	0.00064 mg/l Skeletonema costatum (marine diatom) Read-across – Zinc Pyrithione - Method: OPPTS 850.5400
NOEC chronic algae	0.08 mg/l Pseudokirchneriella subcapitata (green algae)

Alcohols, C16-18 and C18 unsaturated, ethoxylated > 1 < 2.5 EO (68920-66-1)	
LC50 - Fish [1]	108 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	51 mg/l Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Scenedesmus subspicatus

Distillates (petroleum), hydrotreated heavy naphthenic; < 3% DMSO (64742-52-5)	
LC50 - Fish [1]	5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 - Crustacea [1]	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 96h - Algae [1]	> 1000 mg/l Source: IUCLID

### 12.2. Persistence and degradability

GX COOL SAW SW	
Persistence and degradability	This product is not, or does not contain substances which are classified as PBT or vPvB.
Pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	
Persistence and degradability	This product is not, or does not contain substances which are classified as PBT or vPvB.

### 12.3. Bioaccumulative potential

GX COOL SAW SW	
Partition coefficient n-octanol/water (Log Pow)	Not applicable
Bioaccumulative potential	Not established.
Pyridine-2-thiol 1-oxide, sodium salt (3811-73-2)	
Partition coefficient n-octanol/water (Log Pow)	-2.64 @20C; pH 8.5
Distillates (petroleum), hydrotreated heavy naphthenic; < 3% DMSO (64742-52-5)	
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6 Source: IUCLID

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

# GX COOL SAW SW

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : If pretreatment is needed, chemical emulsion breaking or ultrafiltration may be used. For more information, see 'UKLA-PERA-Best-Practice-Guide-for-the-Disposal-of-Water-mix-Metalworking-Fluids.pdf' on [www.ukla.org.uk/wp-content/uploads](http://www.ukla.org.uk/wp-content/uploads).

Sewage disposal recommendations : Do not empty into drains.

Product/Packaging disposal recommendations : Recycle the material as far as possible. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : 12 01 09\* - machining emulsions and solutions free of halogens  
This code is applicable for the product as supplied only. The conditions of use may affect the waste classification after use; see Decision 2000/532/EC and its amendments.

## SECTION 14: Transport information

In accordance with ADR / IMDG

ADR	IMDG
<b>14.1. UN number or ID number</b>	
Not regulated	Not regulated
<b>14.2. UN proper shipping name</b>	
Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>	
Not regulated	Not regulated
<b>14.4. Packing group</b>	
Not regulated	Not regulated
<b>14.5. Environmental hazards</b>	
Not regulated	Not regulated
No supplementary information available	

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# GX COOL SAW SW

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

###### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

###### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

###### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

###### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

###### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

###### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

###### Seveso Directive (Disaster Risk Reduction)

Seveso Additional information : This product doesn't meet the Seveso Directive definition of dangerous substances and doesn't fall under one of the hazard categories

###### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

###### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

#### Indication of changes:

previously Product Code C29716.

Indication of changes			
Section	Changed item	Change	Comments
3	Composition/information on ingredients	Modified	
9	Physical and chemical properties	Modified	

Abbreviations and acronyms:	
ADR	Accord Dangereux Routier (European regulations concerning the international transport of dangerous goods by road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

# GX COOL SAW SW

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms:

DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

### Full text of H- and EUH-phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
EUH070	Toxic by eye contact.
EUH208	Contains Pyridine-2-thiol 1-oxide, sodium salt. May produce an allergic reaction.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.

# GX COOL SAW SW

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Full text of H- and EUH-phrases:

H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1

SDS\_Blank

#### Disclaimer:

The opinions expressed herein are those of competent persons within CIMCOOL® Industrial Products BV and of their suppliers. We believe that the information contained herein is current as of the print date mentioned in this Safety Data Sheet. This Safety Data Sheet was prepared and is to be used for this product only. If this product is used as a component in another product, the information in this Safety Data Sheet may not be applicable. Since the use of this information and of these opinions and the condition and use of the product are not within the control of CIMCOOL® Industrial Products BV, it is the user's obligation to determine the conditions of safe use of the product.